Jigsaw Puzzle

A jigsaw puzzle is a puzzle that requires arranging a number of differently shaped tiles so that they fit together and form a picture. In this problem we consider rectangular puzzles with almost-square tiles:

The edges between the tiles are symmetrical, and there is a special edge type on the boundary of the puzzle.

Write a program that solves a jigsaw puzzle. It should read the descriptions of puzzle pieces and find an alignment in which all edges fit. There always is a solution, and if a puzzle has multiple solutions you only need to print one of them.

Input

The first line of the input will contain two integers wh: widht and hieght of the puzzle (see notes below on input size), followed by w^*h lines containg 4 integers - edge types starting from top and moving clockwise. Edge type 0 means that the tile is on the border of the puzzle.

Output

Output *h* lines in the following format:

 $p_{1,y} a_{1,y} p_{2,y} a_{2,y} \dots p_{w,y} a_{w,y}$

Where $p_{x,y}$ is the number of puzzle that goes into position (x,y) and $a_{x,y}$ contains the number of clockwise rotations it needs to fit. The pieces are numbered from 1.

Examples

Example 1

Input:

3 2

0 1 3 0

0 1 5 1

0031

3300

5203 3002

Output:

102030

405060

Example 2

Input:

32

0130

0151

Example 3

Input:

32

5203

0031

0130

0151

3300

3002

Output:

304020

501060

Example 4

Input:

32

5203

0031

3001

0 1 5 1

3003

0023

Output:

324020

511061

Notes on input size

The score for this problem is proportional to the number of test cases solved. The sizes are as follows:

WHETL

4 3~10 1s.

4 5 \sim 10 1s.

7 6~15 1s.

8 8 ~25 1s.

10 10 ~25 1s.

11 11 ~25 1s. 12 12 ~25 1s.

13 12 ~25 1s.

13 13 ~25 1s.

14 14 ~25 1s.

25 25 ~100 5s.

25 25 ~90 5s.

25 25 ~80 5s.

12 12 ~25 10s.

13 13 ~25 10s.

14 14 ~25 10s.

The last week tests

14 14 ~25 2s.

13 13 ~25 2s.

15 15 ~25 2s.

14 14 ~25 2s.

15 15 ~25 2s.

14 14 ~25 2s.

16 16 ~30 2s.

W - widht of the puzzle

H - height of the puzzle

E - number of different edge types

TL - time limit

Points

The score awarded to your program is proportional to the number of correctly solved test cases (100 points is equivalent to the situation in which all tests have been solved correctly).

The number of points given in the ranking is scaled so that it is equal to 10 for the registered contestant whose solution has the highest score, and proportionally less for all solutions with lower scores.

Pleas note

- For the first five weeks of the series (till Saturday, January 3) all submissions to this problem will be visible to all users and tested on temporary data sets only.
- For the last week of the series, submissions will be visible to the submitting contestant, only, and tested on the full set of test cases. (Earlier solutions will be rejudged).